

**EU type examination certificate**  
**EU-Baumusterprüfbescheinigung**

**CE-0085BP5461**  
 Product Identification No.  
 Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
<b>Owner of Certificate</b> <i>Zertifikatinhaber</i>	SIT S.p.A. Viale dell'Industria, 31-33, I-35129 Padova
<b>Distributor</b> <i>Vertreiber</i>	SIT S.p.A. Viale dell'Industria, 31-33, I-35129 Padova
<b>Product Category</b> <i>Produktart</i>	accessories for gas appliances/pressure equipment: Burner control (4130)
<b>Product Description</b> <i>Produktbezeichnung</i>	Burner control for gas-burner with or without fan
<b>Model</b> <i>Modell</i>	BIC 0.580. ....
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	European Union, CH, IS, NO, TR
<b>Test Reports</b> <i>Prüfberichte</i>	supplement test: 968/FSP 1974.00/19 from 05.12.2019 (TRR) supplement test: 968/FSP 1974.01/19 from 05.12.2019 (TRR)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 298 (01.11.2012)

70028-04-A-DE

**Date of Expiry / File No.** 26.04.2028 / 19-0707-GER  
**Ablaufdatum / AZ**

03.02.2020 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body  
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



DVGW CERT GmbH  
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
 53123 Bonn

Tel. +49 228 91 88 - 888  
 Fax +49 228 91 88 - 993

www.dvgw-cert.com  
 info@dvgw-cert.com

**Elektrical Data**  
**Elektrische Daten**

230 V AC, 50 Hz, IP00

<b>Type</b> <b>Typ</b>	<b>Technical Data</b> <b>Technische Daten</b>	<b>Remarks</b> <b>Bemerkungen</b>
...231	identification code: B/M/R/L/X/N safety time: 7 s ambient temperature range: -10...+60 °C	
...134; ...144; ...159	identification code: B/M/R/L/X/N safety time: 7 s ambient temperature range: -10...+60 °C	
...217; ...227; ...228; ...229	identification code: B/M/R/L/X/N safety time: 10 s ambient temperature range: -10...+60 °C	
...145	identification code: F/M/R/L/X/N safety time: 7 s ambient temperature range: -10...+60 °C	
...189; ...191; ...192	identification code: A/M/R/L/X/N safety time: 7 s ambient temperature range: 0...+60 °C	
...236	identification code: B/M/R/L/X/N safety time: 10 s ambient temperature range: 0...+60 °C	
...126; ...200	identification code: B/M/C/L/X/N safety time: 10 s ambient temperature range: -20...+60 °C	
...258	safety time: 10 s ambient temperature range: 0...+60 °C	

<b>Type Variation</b> <b>Ausführungsvariante</b>	<b>Explanations</b> <b>Erläuterungen</b>
BIC 0.580.227; BIC 0.580.228; BIC 0.580.159	for gas-burner with or without fan
BIC 0.580.189; BIC 0.580.191; BIC 0.580.192	for gas-burner without fan
BIC 0.580.217; BIC 0.580.229; BIC 0.580.231	for gas-burner with or without fan
BIC 0.580.134; BIC 0.580.144; BIC 0.580.145	for gas-burner with or without fan
BIC 0.580.236; BIC 0.580.126; BIC 0.580.200	for gas-burner with or without fan
BIC 0.580.258	for gas-burner without fan