

EU type examination certificate
EU-Baumusterprüfbescheinigung

CE-0085BU0090


Product Identification No.
 Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
Owner of Certificate <i>Zertifikatinhaber</i>	SIT S.p.A. Viale dell'Industria, 31-33, I-35129 Padova
Distributor <i>Vertreiber</i>	SIT S.p.A. Viale dell'Industria, 31-33, I-35129 Padova
Product Category <i>Produktart</i>	accessories for gas appliances/pressure equipment: Burner control (4130)
Product Description <i>Produktbezeichnung</i>	Burner control for use on gas burners with or without fan
Model <i>Modell</i>	0.580. ...BIC
Countries of Destination <i>Bestimmungsländer</i>	European Union, CH, GB, IS, NO, TR
Test Reports <i>Prüfberichte</i>	supplement test: 968/FSP 1631.12/22 from 08.12.2022 (TRR) supplement test: 968/FSP 1631.13/22 from 08.12.2022 (TRR)
Test Basis <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 298 (01.11.2012)

Date of Expiry / File No. 22.11.2027 / 22-0581-GER
Ablaufdatum / AZ

14.12.2022 Pz A-1/2

Date, Issued by, Sheet, Head of Certification Body
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle



DVGW CERT GmbH - notified by the government of the Federal Republic of Germany and officially registered by the European Commission for conformity assessment of gas appliances

DVGW CERT GmbH - von der Deutschen Bundesregierung benannte und von der Europäischen Kommission offiziell registrierte Stelle für die Konformitätsbewertung von Gasgeräten

DVGW CERT GmbH
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
 53123 Bonn

Tel. +49 228 91 88 - 888
 Fax +49 228 91 88 - 993

www.dvgw-cert.com
 info@dvgw-cert.com



Elektrical Data 220...240 V AC, 50-60 Hz, IP00
Elektrische Daten

Type Typ	Technical Data Technische Daten	Remarks Bemerkungen
0.580.195/196/199/202/203 BIC; 0.580.207/208/212/213/221/ 222/223/224/232/242/243 BIC	safety time: 7 s ambient temperature range: 0...+60 °C	for gas burners with fan
0.580.197 BIC	safety time: 5 s ambient temperature range: 0...+60 °C	for gas burners without fan, with relay board 0.579.907
0.580.205/206/211/214/274/ 279 BIC	safety time: 7 s ambient temperature range: 0...+60 °C	for gas burners with fan
0.580.253/254/255/256 BIC	safety time: 7 s ambient temperature range: 0...+60 °C	for gas burners with fan and direct main burner ignition
0.580.270/271/272	safety time: 7 s ambient temperature range: 0...+60 °C	for gas burners with fan

Hints of Utilization /Remarks
Verwendungshinweise / Bemerkungen

Permitted for intermittent operation
 Flame sensor: Ionisation